MATERIAL SAFETY DATA SHEET

TRUXES COMPANY • 16 STONEHILL ROAD • OSWEGO • IL • 60543 TEL: 630/554-8448 FAX: 630/554-8453

SECTION I PRODUCT IDENTIFICATION						
PRODUCT NAME:	PF-3165 HOT MELT ADHESIVE	HMIS HA	ZARD RATING			
CHEMICAL NAME:	NONE: ADHESIVES	NONE: ADHESIVES LEAST: 0 HEALTH:				
FORMULA;	MIXTURE OF INGREDIENTS	SLIGHT: 1	FLAMMABLE:	1		
MANUFACTURER:	TRUXES COMPANY	MODERATE: 2	REACTIVITY:	0		
ADDRESS:	16 STONEHILL ROAD, OSWEGO, IL 60543	HIGH: 3				
FOR INFORMATION ON		EXTREME: 4		·		
HEALTH HAZARDS CALL:	888/554-8448	INFORMATION EFF	ECTIVE: 11/14			

SECTION II HAZARDOUS INGREDIENTS OF MIXTURES				
PRINCIPAL HAZARDOUS COMPONENT(S)	%	TLV UNITS		
NOT HAZARDOUS AS DEFINED IN 29CFR1910.1200 NA NA NA				

SECTION III PHYSICAL DATA					
BOILING POINT:	NA	SPECIFIC GRAVITY:	.99		
VAPOR PRESSURE:	NA	% VOLATILE BY VOL:	NEGLIGIBLE		
VAPOR DENSITY (AIR=1):	NA	EVAPORATION RATE:	NA		
SOLUBILITY IN WATER:	INSOLUBLE	APPEARANCE/ODOR:	WHITE, ODORLESS		

CECTION III DUVCICAL DATA

SECTION IV FIRE AND EXPLOSION HAZARD DATA						
FLASH POINT:	>400°F COC	FLAMMABLE LIMITS:	NA			
EXTINGUISHING MEDIA:	DRY CHEMICAL, CO2, WATER SPRAY	LEL: NA	UEL: NA			
SPECIAL FIRE FIGHTING PROCEDURES: SELF CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING						
UNUSUAL FIRE AND EXPLOSION HAZARDOUS MELTING AND DRIPPING MAY OCCUR AT OR ABOVE MELT TEMPERATURES						

	SECTION V TRANSPORTATION INFORMATION
DOT HAZARD CLASS:	NOT REGULATED

PRODUCT:	PF-3165 HOT MELT ADHESIVE	DATE:	11/03/14
	TRUXES COMPANY	PAGE:	1 OF 3

SECTION VI HEALTH HAZARD DATA			
THRESHOLD LIMIT VALUE:	NOT ESTABLISHED		
EFFECTS OF OVEREXPOSURE:	SOLID AT ROOM TEMPERATURE; WHEN HEATED>280°F MAY CAUSE SMOKE		
	WHICH COULD BE IRRITATING TO EYES AND BREATHING PASSAGES; HOT		
	MATERIAL WILL CAUSE BURNS UPON CONTACT		
EMERGENCY AND FIRST AID PROCEDURES: (OBTAIN MEDICAL ATTENTION)	EYE CONTACT: IRRIGATE IMMEDIATELY AND THOROUGHLY WITH WATER SKIN CONTACT: FLUSH AREA IMMEDIATELY WITH WATER INHALATION: REMOVE TO CLEAN VENTED AREA		

SECTION VII REACTIVITY DATA

STABILITY:	UNSTABLESTAB	_EX	CONDITIONS TO AVO	ID: OVERHEATING
INCOMPATIBILITY:	OXIDIZING MATERIALS CA	AN CAUSE	A VIGOROUS REACTION	l .
HAZARDOUS DECOMPO	SITION PRODUCTS:	BEING OF	RGANIC, COMBUSTION V	VILL PRODUCE CARBON DIOXIDE
	AND PRO	BABLY CARBON MONO	KIDE	
HAZARDOUS POLYMER	IZATIONS:	MAY OCC	UR WILL NOT OC	CUR_X_

SECTION VIII SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:	ALLOW MATERIAL TO COOL; SCRAPE OFF AFFECTED AREAS; REMOVE RESIDUAL WITH NON-FLAMMABLE SOLVENT
WASTE DISPOSAL METHOD:	INCINERATION OR AN APPROVED LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS AND ENVIRONMENTAL PROCEDURES
SPILL CLEAN-UP:	LET COOL; SHOVEL OR SCRAPE UP

SECTION IX SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION:		NO SPECIAL REQUIREMENT				
VENTILATION:	LOCAL EXH	IAUST:	RECOMMENDED	ME	CHANICAL (GENERAL): RECOMMENDED
	SPECIAL:		NONE KNOWN OTHE		HER:	NONE KNOWN
PROTECTIVE GLOVES:	HEAT RESIS	STANT (60	00°F) SHOULD BE WOR	Z	EYE PROTECTION:	SAFETY GLASSES
OTHER PROTECTIVE EQUIPMENT: CLOTHING TO PROTECT SKIN; EYE BATH AND SHOWER						

SECTION X HANDLING AND STORAGE

STORAGE: STORE IN A COLL DRY PLACE, KEEP CONTAINER CLOSED TO PREVENT CONTAMINATION; DO NOT ALLOW WATER OR MOISTURE TO COME IN CONTACT WITH MATERIAL

SECTION XI ECOLOGICAL INFORMATION	

NO INFORMATION AVAILABLE: TOXICITY IS EXPECTED TO BE LOW BASED ON INSOLUBILITY IN WATER

PRODUCT:	PF-3165 HOT MELT ADHESIVE	DATE:	11/03/14
	TRUXES COMPANY	PAGE:	2 OF 3

SECTION XII SPECIAL PRECAUTIONS

	· · · · · · · · · · · · · · · · · · ·
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:	STORE IN COOL DRY AREAS; KEEP CONTAINERS CLOSED; DO NOT PERMIT MATERIAL TO CONTACT WATER OR MOISTURE; BE SURE PRODUCT IS FREE OF SURFACE WATER AND CONTAMINATES BEFORE USING OR PLACING IN ANY TYPE OF MELTING APPLICATOR
OTHER PRECAUTIONS:	NO WARRANTY OR GUARANTEE IS MADE AS TO THE CORRECTNESS OR SUFFICIENCY OF THIS INFORMATION. THE USER OF THIS PRODUCT MUST DETERMINE WHAT SAFETY MEASURES ARE NECESSARY TO SAFELY USE THIS PRODUCT, EITHER ALONE OR IN COMBINATION WITH OTHER PRODUCTS, AND, DETERMINE ITS QUALITY, POTENTIAL SAFE USE AND ITS ENVIRONMENTAL REGULATORY OBLIGATIONS UNDER ANY APPLICABLE STATE AND FEDERAL LAWS. EMPLOYERS SHOULD USE THIS INFORMATION ONLY AS A SUPPLEMENT, AND MUST MAKE INDEPENDENT DETERMINATIONS OF SUITABILITY AND COMPLETENESS OF INFORMATION FROM ALL SOURCES TO ASSURE PROPER USE OF THIS PRODUCT AND THE SAFETY AND HEALTH OF EMPLOYEES.

PRODUCT:	PF-3165 HOT MELT ADHESIVE	DATE:	11/03/14
	TRUXES COMPANY	PAGE:	3 OF 3